



FALLPROTEC


Price list 09/2017

Applicable for Europe


43-45, ZA Op Zeamer
L4959 Bascharage Luxembourg
Tel : +352 26 55 09 30
Fax : +352 26 55 09 30 55
marketing@fallprotec.com



RopeClimber
BackPack



ROP016	RopeClimber textile bosun chair Rated load 120 kg Battery included	25,00 kg
		
ROP018	RopeClimber cradle kit Rated load 120 kg Battery included	85,00 kg
		
ROP025	RopeClimber double cradle Rated load 240 kg Battery included	160,00 kg
		
ROP021	RopeClimber BackPack Rated load 120 kg Battery included	34,00 kg
		
ROP006	RopeClimber traction hoist to lift person Working load limit 240 kg Lifting speed 8,4 m/min Electric box with battery, pendant control box, top limit switch, overload device and battery charger included	25,00 kg
		
ROP023	RopeClimber traction hoist to lift person Working load limit 160 kg Lifting speed 12m/min Electric box with battery, pendant control box, top limit switch, overload device and battery charger included.	25,00 kg
		
ROP007	Bosun chair with suspension beam for the attachment to the hoist Rated load 120 kg	1,70 kg
		
ROP009	Lithium ion battery 48V 13Ah in a alu box + plug Spare battery	
		



ROP019 Remote Control kit for RopeClimber range 100 m



ROP022 Battery charger for partial charging of the battery, 80% 1,33 kg

Use for applications in wells, silos and underground construction.



ROP011 Case with rollers and handles for Ropeclimber

Material alu
Inside dimensions 710 x 500 x 270 mm
Handles
2 rollers



ROP008 Rope Ø 12 mm for Ropeclimber hoist

Breaking strength 26 kN
Price per meter



ROP015 Rope Ø12 mm x 100m for Ropeclimber with sewn eyelet

Breaking strength 26 kN



ROP014 Rope Ø 12 mm x 40 m for Ropeclimber with sewn eyelet

Breaking strength 26 kN




ROP010 Secondary fall arrest device 0,80 kg


Working load limit 240 Kg
For Ø11 mm semi static rope




EC Type Exam

ROP020 End stop





HAR081	Weight for secondary rope / end stop Is used also as a end stop fixed on the main rope (blue part only)	
HAR041	Semi static rope ø 11 mm Breaking strength 27 kN Price per meter	0,08 kg
	EN1891	
HAR085	Semi static rope ø 11 mm x 100 m sewn eyelet Breaking strength 27 Kn	8,00 kg
	EN1891	
HAR084	Semi static rope ø 11 mm x 40 m sewn eyelet Breaking strength 27 kN	3,20 kg
	EN1891	
HAR064	Robust tarpaulin bag with zipper and inside pocket, capacity 45 l Colour orange and black	0,40 kg
HAR089	Rope storage bag dimensions Ø37 height 60 cm	0,30 kg
HAR087	Safety helmet for work at height	0,44 kg
	EN12492	
HAR023	Automatic braking descender with anti panic function Material alu	0,52 kg
	EN341	



ROP024



Mobile davit arm

Total suspended load 240 kg
Stability by Safeaccess rail
Displacement by pushing

DAV001



Removable davit, height 1,5 m reach from 0,6 to 1,6 m in galvanized steel

For work in suspension
total suspended load 240 kg
Weight of jib 21 kg + mast 23 kg

EN1808

DAV003




Socket to fix the davit on roof height 600 mm, galvanized steel

Total suspended load on the davit arm 240 kg

EN1808

DAV004




Mobile davit on wheels, reach from 0,6 to 1,6 m, stability by counterweights, galvanized steel

Total suspended load 240 kg
Counter weights not included

EN1808

DAV005



Counterweight of 12,5 kg concrete in a plastic shell

EN1808



43-45, ZA Op Zaemer
4959 Bascharage, Luxembourg
Tel: +352 26 55 09 30
Fax: +352 26 55 09 30 55
marketing@fallprotec.com
www.fallprotec.com